

**Fatores que influenciam demografia de espécies
lenhosa das savanas tropicais**

ANELIZA DE ALMEIDA MIRANDA-MELO¹

REFERÊNCIAS BIBLIOGRÁFICAS

- ABRAHAMSON, W. G. 1980. Demography and vegetative reproduction. In: Solbrig, O T.(ed.) Demography and evolution in plant population. University of California Press. Berkeley, p.89-106.
- AIDE, T. M. 1992. Dry season leaf production: an escape from herbivory. *Biotropica* 24: 532-537.
- AVEIRO, S. M. G. 1997. Biologia da reprodução e crescimento inicial de *Qualea cordata* Spreng. (Vochysiaceae), uma espécie arbórea do cerrado. Tese de Doutorado. UNICAMP, Campinas.
- BELSKY, A. J., AMUNDSON, R. G., DUXBURY, J. M., RIHA, S. J., ALI, A. R. & MWONGA, S. M. 1989. The effects of trees on their physical, chemical, and biological environments in a semi-arid savanna in Kenya. *Journal of Applied Ecology* 26: 1005-1024.
- BEN-SHAHAR, R. 1996. Woodland dynamics under the influence of elephants and fire in northern Botswana. *Vegetatio* 123: 153-163.
- BOSCAN, V. C. 1967. Efectos del fuego sobre la reproducción de algunas plantas de los Llanos de Venezuela. *Boln. Soc. Venez. Cienc. Nat.* 27: 70-103.
- BROWN, J. R. & ARCHER, S. 1987. Woody plant seed dispersal and gap formation in a north american subtropical savanna woodland: the role of domestic herbivores. *Vegetatio* 73:73-80.

¹ Aluna da pós-graduação em Biologia Vegetal, Departamento de Botânica, Instituto de Biologia, Universidade Estadual de Campinas, Caixa Postal 6109, 13083-970 Campinas, SP, Brasil. e-mail: anemiranda@yahoo.com

- CLARK, D.A. 1994. Plant demography. In: Mc Dade, L.A.; Bawa, K.S.; Hespenheide, H. A. & Hartshorn, G. S. (eds). *La Selva – ecology and natural history of a neotropical rain forest*. The University of Chicago Press, Chicago. p90-105.
- COLLEVATTI, R. G. & HAY, J. D. 1997. Arquitetura e riqueza de herbívoros em *Ouratea hexapterma* Baill. (Ochnaceae), em um cerrado da reserva ecológica do IBGE, Brasília, DF. In: Leite, L. L & Saito, C. H. (org.). *Contribuição ao conhecimento ecológico do cerrado*. Universidade de Brasília, Brasília.p.95-100.
- COUTINHO, L. M. 1977. Aspectos ecológicos do fogo no cerrado. II- As queimadas e a dispersão de sementes de algumas espécies anemocóricas do estrato herbáceo-arbustivo. *Bol. Botânica Univ. São Paulo* 5: 57-64.
- DIRZO, R. & SARUKHAN, J. 1984. Perspectives in plant population ecology. Sinauer. Sunderland.
- DOMINGUEZ, C. A. & DIRZO, R. 1994. Effects of defoliation on *Erythroxylum havanense* a tropical proleptic species. *Ecology* 75: 1896-1902.
- DUBLIN, H. T., SINCLAIR, A. R. E. & McGLADE, J. 1990. Elephants and fire as causes of multiple stable states in the Serengeti-Mara woodlands. *Journal of Animal Ecology* 59:1147-1164.
- FARJI-BRENER, A. G. & SILVA, J. F. 1995. Leaf-cutter ants' (*Atta laevigata*) aid to the establishment sucess of *Tapirira velutinifolia* (Anacardiaceae) seedlings in a parkland savanna. *Journal of Tropical Ecology* 12: 163 –174.
- FRANCO, A. C., & NOBEL, P. S. 1989. Effect of nurse plants on the microhabitat and growth of cacti. *Journal of Ecology* 77: 870-886.
- GARCIA-NUNEZ, C., A. AZÓCAR & J.F. SILVA. 2001. Seed production and soil seed bank in three evergreen woody species from a neotropical savanna. *Journal of Tropical Ecology* 17:563-576.

GERHARDT, K. 1993. Tree seedling development in tropical dry abandoned pasture and secondary forest in Costa Rica. *Journal of Vegetation Science* 4: 95-102.

GIGNOUX, J., CLOBERT, J., MENAUT, J. 1997. Alternative fire resistance strategies in savanna trees. *Oecologia* 110: 576-583.

GUTIERREZ, J. R. & FUENTES, E. R. 1979. Evidence for intraspecific competition in the *Acacia craven* (Leguminosae) savanna of Chile. *Oecologia Plantarum* 14: 151-158.

HAY, J. D. & E. M.. J. BARRETO. 1988. Natural mortality of *Vochysia thyrsoidea* in an unburnt cerrado ecosystem near Brasília, DF, Brazil. *Biotropica* 20:274-279.

HIGGINS, S. I., BOND, W. J. & TROLLOPE, W. S. W. 2000. Fire, resprouting and variability: a recipe for grass-tree coexistence in savanna. *Journal of Ecology* 88: 213-229.

HOFFMANN, W.A. 1996. The effects of fire and cover on seedling establishment in a neotropical savanna. *Journal of Ecology* 84:383-393.

HOFFMANN, W.A. 1999. Fire and population dynamics of woody plants in a neotropical savanna: matrix model. *Ecology* 80:1354-1369.

HOFFMANN, W.A. 2000. Post-establishment seedling success in the Brazilian cerrado: a comparison of savanna and forest species. *Biotropica* 32:62-69.

HOFFMANN, W.A. 2002. Direct and indirect effects of fire on radial growth of cerrado savanna trees. *Journal of Tropical Ecology* 18:137-142.

HOFFMANN. W.A. 1998. Post-burn reproduction of woody plants in a Neotropical savanna: the relative importance of sexual and vegetative reproduction. *Journal of Applied Ecology* 35:422-433.

HUNTER, A. F. & AARSSEN, L.W. 1988. Plants helps plants. *BioScience* 38(1): 34-40.

- JANZEN, D. H. 1970. Herbivores and the number of tree species in tropical forests. American Naturalist 104: 501-528.
- JOLY, C. A. & FELLIPE, G. M. 1980. Fenologia de *Magonia pubescens* St. Hil. Ciência e Cultura 32(7): 936-941
- JORDANO, P. & HERRERA C.M. 1995. Shuffling the offspring uncoupling and spatial discordance of multiple stages in vertebrate seed dispersal. Ecoscience 2: 230-237.
- KAUFFMAN, J. B., CUMMINGS, D. L. & WARD, D. E. 1994. Relationships of fire, biomass and nutrient dynamics along a vegetation gradient in the brazilian cerrado. Journal of Ecology 82: 519-531.
- KELLMAN, M. 1979. Soil enrichment by neotropical savanna trees. Journal of Ecology 67:565-577.
- LABOURIAU, L.G., I. F.M. VALIO & E.P. HERINGER. 1964. Sobre o sistema reprodutivo de plantas dos cerrados – I. Anais da Academia Brasileira de Ciência 36:449-464.
- LANDIM, M. F. & HAY, J. D. 1996. Impacto do fogo sobre alguns aspectos da biologia reprodutiva de *Kielmeyera coriacea* Mart. Revista Brasileira de Botânica : 127-134.
- LEWINSOHN, T. M. 1980. Predação de sementes em Hymenaea (Leguminosae, Caesalpinoideae): aspectos ecológicos e evolutivos. Dissertação de Mestrado. UNICAMP, Campinas.
- LEWINSOHN, T. M. 1991. The geographical distribution of plant latex. Chemoecology 2:64-68.
- MEDINA, E. & SILVA, J. F. 1990. Savannas of northern south America: a steady state regulated by water-fire interactions on a background of low nutrient availability. Journal of Biogeography 17: 403-413.
- MIDGLEY, J. J. & BOND, W. J. 2001. A synthesis of the demography of african acacias. Journal of Tropical Ecology 17: 871-886.
- MIYANISHI, K. & KELLMAN, M. 1986. The role of fire in recruitment of two neotropical savanna shrubs, *Miconia albicans* and *Clidemia sericea*. Biotropica 18:224-230.

- MIYANISHI, K. & KELLMAN, M.. 1986. The role of root nutrient reserves in regrowth of two savanna shrubs. Canadian Journal of Botany 64:1244-1248.
- MOREIRA, A.G. 1987. Aspectos demográficos de *Emmotum nitens* (Benth.) Miers (Icacinaceae) em um cerradão distrófico no Distrito Federal. Tese de Mestrado, Dept. de Biologia Vegetal, UNICAMP, Campinas, SP.
- MOROSINI, I. B.A. & KLINK, C. A. Interferência do capim-gordura (*Melinis minutiflora* Beauv) no desenvolvimento de plântulas de embaúba (*Cecropia pachystachya* Trécul). In: Leite, L. L & Saito, C. H. (org.). Contribuição ao conhecimento ecológico do cerrado. Universidade de Brasília, Brasília.p.82-86.
- MUCUNGUZI, P. & ORYEM-ORIGA, H. 1996. Effects of heat and fire on the germination of *Acacia sieberiana* D.C. and *Acacia gerrardii* Benth, in Uganda. Journal of Tropical Ecology 12: 1-10.
- O'CONNOR, T. G. 1995. *Acacia karroo* invasion of grassland: environmental and biotic effects influencing seedling emergence and establishment. Oecologia 103: 214-223.
- OLIVEIRA, L.M.Q. 1992. Estudo comparativo do crescimento em *Dimorphandra mollis* Benth. e *Enterolobium contortisiliquum* (Vell.)Morong. Tese de Doutorado. UNICAMP. Campinas
- OLIVEIRA, P.E.A.M., RIBEIRO, J. F. & GONZALES, M.I. 1989. Estrutura e distribuição espacial de uma população de *Kielmeyera coriacea* Mart. de cerrados de Brasília. Revta brasil.Bot. 12:39-47.
- OLIVEIRA, P. E. & SILVA, J. C. S. 1993. Reproductive biology of two species of *Kielmeyera* (Guttiferae) in the cerrados of central Brazil. Journal of Tropical Ecology 9: 67-79.
- PINHEIRO, F., MORAIS, H. C. & DINIZ, I. R.. 1997. Composição de herbívoros em plantas hospedeiras com látex: Lepidoptera em *Kielmeyera* spp. (Guttiferae). In: Leite, L. L & Saito, C. H. (org.). Contribuição ao conhecimento ecológico do cerrado. Universidade de Brasília, Brasília.p.101-106.

- RADFORD, I. J., NICHOLAS, M., TIVER, F., BROWN, J. & KRITICOS, D. 2002. Sedlings establishment, mortality, tree growth rates and vigour of *Acacia nilotica* in different *Astrebla* grassland habitats: implications for invasion. *Austral Ecology* 27: 258-268.
- RAW, A. & J.D. HAY. 1985. Fire and other factors affecting a population of *Simarouba amara* in cerradão near Brasília, Brazil. *Revista brasileira de Botânica* 8:101-107.
- RIBEIRO, J. F., GONZALES, M. I., OLIVEIRA, P. E. & MELO, J. T. 1982. Aspectos fenológicos de espécies nativas do cerrado. In: *Anais do XXXII Congresso Nacional de Botânica*, Teresina. Universidade Federal de Piauí. p. 181-198.
- RIZZINI, C.T. & HENRIGER, H.P. 1962. Preliminares acerca das formações vegetais e reflorestamento no Brasil Central. Serviço de informação. Ministério da Agricultura. Rio de Janeiro.
- ROQUES, K. G., O'CONNOR, T. G. & WATKINSON, A. R. 2001. Dynamics de shrubs encroachment in an african savanna: relative influences of fire, herbivory, rainfall and density dependence. *Journal Applied Ecology* 38: 268-280.
- SABIITI, E. N. & WEIN, R. N. 1988. Fire behaviour and the invasion of *Acacia sieberiana* into savanna grassland openings. *African Journal of Ecology* 26: 301-313.
- SABIITI, E. N. & WEIN, R. W. 1987. Fire and *Acacia* seeds: a hypothesis of colonization success. *Journal of Ecology* 74: 937-946
- SARMIENTO, G. 1984. The ecology of neotropical savannas. Harvard University Press, Cambridge, MA.
- SARMIENTO, G. & MONASTERIO, M. 1983. Life forms and phenology. In: Bouliére, F. (ed.) *Ecosystems of the world: tropical savannas*. Elsevier, Amsterdam. p.79-108.

- SARUKHÁN, J., MARTINEZ-RAMOS, M. & PIÑERO, D. 1984. The analysis of demographic variability at the individual level and its populational consequences. In: Dirzo, R. & Sarukhán, J. (ed). Perspectives on plant population ecology. Sinauer Ass. Sunderland, Massachusetts.
- SILVA, J. F., ZAMBRANO, A. & FARINAS, M. R.. 2001. Increase in the woody component of seasonal savannas under different fire regimes in Calabozo, Venezuela. Journal of Biogeography 28:977-983.
- SKARPE, C. 1990. Structure of woody vegetation in disturbed and undisturbed arid savanna, Botswana. Vegetatio 87: 11-18.
- SKARPE, C. 1991. Impact of grazing in savanna ecosystems. Ambio 20:351-356.
- SKARPE, C. 1992. Dynamics of savanna ecosystems. Journal of Vegetation Science 3: 293-300.
- SMART, N. O. E., HATTON, J. C. & SPENCE, D. H. N. 1985. The effects of long-term exclusion of large herbivores on vegetation in Murchison Falls National Park, Uganda. Biological Conservation 33:229-245.
- SMITH, T. M. & GOODMAN, P. S. 1986. The effect of competition on the structure and dynamics of *Acacia* savannas in southern Africa. Journal of Ecology 74: 1031-1044.
- SMITH, T. M. & GOODMAN, P. S. 1987. Sucessional dynamics in an *Acacia nilotica-Euclea divinorum* savannah in southern Africa. Journal of Ecology 75: 603-610.
- SOLBRIG, O. T. 1981. Studies on the population biology of the genus *Viola*. II. The effect of plant size on fitness in *Viola sororia*. Evolution 35:1080-1093.
- TIVER, F., NICHOLAS, M., KRITICOS, D. & BROWN, J. R. 2001. Low density of prickly *Acacia* under sheep grazing in Queensland. Journal Range Management 54: 382-389.
- VAN DE VIJVER, C.A. D. M., FOLEY, C. A. & OLFF, H. 1999. Changes in the woody component of an east african savanna during 25 years. Journal of Tropical Ecology 15: 545-564.

WALKER, B. H., STONE, L., HENDERSON, L. & VERNEDE, M. 1986. Size structure analysis of the dominant trees in a south african savanna. *South African Journal of Botany* 52: 397-402.

WILLARD, E. E. & McKELL, C. M. 1973. Simulated grazing management systems in relation to shrub growth responses. *Journal Range Management* 26: 171-174.